



omega

Product Catalog

COMPUTER
KEYBOARD



BEST FOR MOBILE SOLUTIONS



PC & TABLET KEYBOARD + MOUSE

2in1
FOR TABLET & PC

High Durability
Spill Resistant Design



LEPUS
OKM05

Keys with built-in membranes providing comfort. Spill-resistant design - thanks to the extra channels - draining the liquid from inside the keyboard. Convenient and ergonomic keyboard slightly inclined profile. Compact size - space-saving on your desk.

System requirements:

DOS 5.0/WIN95/98/NT/ME/2000/XP/7/8/Unix/Linux/ Android or compatible

Technical Data:

Cable Length: 1.5 m.

Environment Data:

Operating Temperature: 0° to 50°C

Relative humidity: 20% to 90% non-condensing

Optical Mouse

The combination of high quality Optical Sensor sending 800 signals per second to the Digital Signal Processor (DSP), eliminates the erratic movements of cursor and requires high precision.

No Cleaning Required

With no moving parts it is almost impossible for the tracking mechanism to wear out.


Easy Navigation

The scrolling wheel allows you easily to navigate documents, spreadsheets and even the World Wide Web.

Keyboard for Android, Windows 8
Tablets and for PC

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OKM05	5907595420006

PC & TABLET KEYBOARD

2in1
FOR TABLET & PC

High Durability
Spill Resistant Design
Convenient Layout
Office Line



CENTAURI T
OK05T

Compatible with most PC Tablets with
Android System and microUSB Port

Keys with built-in membranes providing comfort.
Spill-resistant design - thanks to the extra channels -
draining the liquid from inside the keyboard. Convenient
and ergonomic keyboard slightly inclined profile. Compact
size - space-saving on your desk.

System requirements:

DOS 5.0/WIN95/98/NT/ME/2000/XP/7/8/Unix/Linux/ Android
or compatible

Technical Data:

Cable Length: 1.5 m.

Environment Data:

Operating Temperature: 0° to 50°C


Relative humidity: 20% to 90% non-condensing

Installation:

- turn the computer off
- connect the keyboard to the USB port
- turn on the PC

Safety instructions:

Never open or repair this device yourself.
Do not use the device in a damp environment.
Do not spill anything on the keys.




Keyboard for Android, Windows 8
Tablets and for PC

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK05T	5907595418294
OK05THU	5907595422222



WIRELESS SMART TV KEYBOARD

Works with:

- All newest smart TV with Android and other systems
- Samsung, LG, Philips, Toshiba, Sony, Panasonic etc
- Range up to 10m
- Touchpad for easy use



wireless
set



Tablet



smartphone

OKB004



5 907595 436663

omega

A woman with long blonde hair and a young girl with blonde hair in a braid are looking at a laptop screen. The woman is wearing a white sweater and the girl is wearing a white t-shirt. They are both smiling and looking at the screen. The background is blurred.

Ωmega

**BEST
FOR
LEARN
& FUN**

Ωmega

WIRELESS SET KEYBOARD + MOUSE


Autolink Technology

13 Multimedia Keyboard Keys


Nano Receiver

10m Range


+OPTICAL MOUSE 1200DPI



The nano receiver is insert to USB port immediate, or by an extra USB cable.



Place the nano receiver into the optical mouse



OKM071



COMPUTER KEYBOARD

Wireless set keyboard + mouse
2.4GHz FSK Autolink technology:

- 10m range
- Nano receiver
- 13 multimedia keys
- Battery included: 1xAA for mouse and 2 x AAA for keyboard.
- Connect nano receiver to USB port of your computer.

SYSTEM REQUIREMENTS

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/Linux/Unix or compatible. 1.1, 2.0 USB free port.

INSTALLATION

- turn the computer off,
- connect nano receiver to the USB Port,
- turn the computer on.

SAFETY INSTRUCTIONS

Never open or repair this device yourself. Do not use the device in a damp environment. For cleaning use cleaning products designed for cleaning office equipment. Do not spill anything on the keys.

2.4GHz WIRELESS OPTICAL MOUSE

The combination of high quality Optical Sensor sending 1200 signals per second to the Digital Signal Processor (DSP), eliminates the erratic movements of cursor and requires high precision.

NO CLEANING REQUIRED

With no moving parts it is almost impossible for the tracking mechanism to wear out.

EASY NAVIGATION

The scrolling wheel allows you easily to navigate documents, spreadsheets and even the World Wide Web.

SYSTEM REQUIREMENTS

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/Linux/Unix or compatible.

INSTALLATION

- turn the computer off,
- connect nano receiver to the USB Port,
- turn the computer on.

SAFETY INSTRUCTIONS

Never open or repair this device yourself. Do not use the device in a humid environment. For cleaning use cleaning products designed for cleaning office equipment.



KLAWIATURA KOMPUTEROWA

Bezprzewodowy zestaw klawiatura + myszka optyczna 2.4GHz FSK. Technologia automatycznego połączenia:

- Zasięg: 10m
- Odbiornik nano
- 13 klawiszy multimedialnych
- Dołączone baterie: 1xAA dla myszki i 2xAAA dla klawiatury.
- Podłącz nano odbiornik do portu USB w Twoim komputerze.

WYMAGANIA SYSTEMOWE

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/Linux/Unix lub kompatybilne. 1.1, 2.0 USB port.

INSTALACJA

- wyłącz komputer,
- podłącz nano odbiornik do portu USB,
- włącz komputer.

ZASADY BEZPIECZEŃSTWA

Nie otwieraj i nie naprawiaj produktów samodzielnie. Nie używaj urządzenia w pomieszczeniu wilgotnym. Nie wylewaj cieczy na klawiaturę. Do czyszczenia używaj produktów dedykowanych urządzeniom komputerowym.

BEZPRZEWODOWA MYSZKA OPTYCZNA 2.4GHz

Połączenie wysokiej jakości czujnika optycznego przesyłającego 1200 sygnałów na sekundę oraz cyfrowego procesora sygnałowego (DSP) eliminuje niestabilne działanie i zapewnia wysoką precyzję.

NIE WYMAGA CZYSZCZENIA

Brak części ruchomych gwarantuje odporność na uszkodzenia mechaniczne.

ŁATWOŚĆ NAWIGACJI

Roller przewijania umożliwia łatwiejszą nawigację pośród dokumentów oraz na stronach internetowych.

WYMAGANIA SYSTEMOWE


DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/Linux/Unix lub kompatybilne.

INSTALACJA

- wyłącz komputer,
- podłącz nano odbiornik do portu USB,
- włącz komputer.

ZASADY BEZPIECZEŃSTWA

Nie otwieraj i nie naprawiaj produktów samodzielnie. Nie używaj urządzenia w pomieszczeniu wilgotnym. Nie wylewaj cieczy na klawiaturę. Do czyszczenia używaj produktów dedykowanych urządzeniom komputerowym.



USB
UNIVERSAL SERIAL BUS



Omega



UNIVERSAL SET KEYBOARD + MOUSE

Convenient and Silent
Typing Square Keys

+OPTICAL MOUSE
1000DPI



COMPUTER KEYBOARD

Membrane tactile key switches gives comfort to your fingers.

SYSTEM REQUIREMENTS

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/Linux/Unix or compatible. 1.1, 2.0 USB free port.

TECHNICAL DATA

Cable length: 1.5m

INSTALLATION

- turn the computer off,
- connect the device to the USB port,
- turn the computer on.

SAFETY INSTRUCTIONS

Never open or repair this device yourself. Do not use the device in a damp environment. For cleaning use cleaning products designed for cleaning office equipment. Do not spill anything on the keys.

OPTICAL MOUSE

The combination of high quality Optical Sensor sending 1000 signals per second to the Digital Signal Processor (DSP), eliminates the erratic movements of cursor and requires high precision.

NO CLEANING REQUIRED

With no moving parts it is almost impossible for the tracking mechanism to wear out.

EASY NAVIGATION

The scrolling wheel allows you easily to navigate documents, spreadsheets and even the World Wide Web.

SYSTEM REQUIREMENTS

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/10/Linux/Unix or compatible.

INSTALLATION

- turn the computer off,
- connect the device to the USB port,
- turn the computer on.

SAFETY INSTRUCTIONS

Never open or repair this device yourself. Do not use the device in a humid environment. For cleaning use cleaning products designed for cleaning office equipment.



KLAWIATURA KOMPUTEROWA

W budowie klawiszy wykorzystano miękkie membrany, które zapewniają najwyższą jakość oraz komfort pracy.

WYMAGANIA SYSTEMOWE

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/Linux/Unix lub kompatybilne. 1.1, 2.0 USB port.

DANE TECHNICZNE

Długość kabla: 1.5m

INSTALACJA

- włącz komputer,
- podłącz klawiaturę do portu USB,
- włącz komputer.

ZASADY BEZPIECZEŃSTWA

Nie otwieraj i nie naprawiaj produktów samodzielnie. Nie używaj urządzenia w pomieszczeniu wilgotnym. Nie wylewaj cieczy na klawiaturę. Do czyszczenia używaj produktów dedykowanych urządzeniom komputerowym.

MYSZ OPTYCZNA

Połączenie wysokiej jakości czujnika optycznego przesyłającego 1000 sygnałów na sekundę oraz cyfrowego procesora sygnałowego (DSP) eliminuje nierówne działanie i zapewnia wysoką precyzję.

NIE WYMAGA CZYSZCZENIA

Brak części ruchomych gwarantuje odporność na uszkodzenia mechaniczne.

ŁATWOŚĆ NAWIGACJI

Rollka przewijania umożliwia łatwiejszą nawigację pośród dokumentów oraz na stronach internetowych.

WYMAGANIA SYSTEMOWE

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/10/Linux/Unix lub kompatybilne.

INSTALACJA

- wyłącz komputer,
- podłącz urządzenie do złącza USB w komputerze,
- włącz komputer.

ZASADY BEZPIECZEŃSTWA


Nie otwieraj i nie naprawiaj produktów samodzielnie. Nie używaj urządzenia w pomieszczeniu wilgotnym. Nie wylewaj cieczy na klawiaturę. Do czyszczenia używaj produktów dedykowanych urządzeniom komputerowym.



OKM05



OS (Support OS)



USB
UNIVERSAL SERIAL BUS



omega

MULTIMEDIA GAMING KEYBOARD

Easy Access to Multimedia Functions
Space-Saving Compact Design
Low Profile



ARIES
OK015

USB Multimedia computer keyboard. Easy access to multimedia applications and most frequently used programs.

Multimedia keys:

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE.

System requirements:

DOS5.0/WIN98/ME/2000/XP/VISTA/7/8/Linux/Unix or compatible. One free USB 2.0/1.1 port available.

Installation:

Connect the keyboard to the USB port.

Safety instructions:

Never open or repair this device yourself.
Do not use the device in a humid environment.
Do not spill anything on the keys.
Use only soft dry tissue for cleaning.

Technical Data:

Cable length: 1.8 m
Operating temperature: 0 to 50°C



Easy And Silent Typing Convenient
Keyboard Layout

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK015BL	5907595419574
OK0150	5907595419581



UNIVERSAL COMPUTER KEYBOARD

Slim and Comfortable Design
USB Connection



VIRGO
OK08

Universal Computer Keyboard

- Keys with built-in membranes providing comfort,
- Slim & Fashionable design,
- USB wired connection,
- Water proof design,
- Convenient and ergonomic shape,
- Compact size - space-saving on your desk.

System requirements:

DOS5.0/WIN98/NT/ME/Vista/2000/XP/7/8/Mac
or compatible.

Technical Data:

Cable length: 1.2 m

Weight: 0.7 kg

Size: 404x124x23 mm

Environment Data:

Operating Temperature: 0-50° C

Relative humidity: 20-90% non-condensing.

Installation:

- turn the computer off,
- connect the keyboard to the USB port,
- turn on the PC.



Easy And Silent Typing Convenient
Keyboard Layout

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK08BL	5907595422697
OK08R	5907595422703



UNIVERSAL COMPUTER KEYBOARD

Slim and Comfortable Design
USB Connection



VILQ
OK011

Universal Computer Keyboard

- Keys with built-in membranes providing comfort,
- Slim & Fashionable design,
- USB wired connection,
- Water proof design,
- Convenient and ergonomic shape,
- Compact size - space-saving on your desk.

System requirements:

DOS5.0/WIN98/NT/ME/Vista/2000/XP/7/8/Mac
or compatible.

Technical Data:

Cable length: 1.2 m

Weight: 0.7 kg

Size: 405x130x30 mm

Environment Data:

Operating Temperature: 0-50° C

Relative humidity: 20-90% non-condensing.

Installation:

- turn the computer off,
- connect the keyboard to the USB port,
- turn on the PC.



Easy And Silent Typing Convenient
Keyboard Layout

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK11BL	5907595422710
OK11R	5907595422727



FOR KIDS KEYBOARD

Designed Especially for Children
Facilitates Computer Usage Learning
Convenient and Easy to Read Keys



Specially designed educational computer keyboard for kids.
Facilitates the learning of letters, numbers, computer skills, reading and writing.

Multimedia keys:

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE. In order for the Sleep/Wake Up to work correctly, the BIOS must support Advanced Power Management ACPI.

System requirements:

DOS5.0/ W I N95/9 8/N T/ME /2000/ VISTA /XP /linux /Unix/
Windows 7, 8 or compatible

Installation:

Turn the computer off.
Connect the keyboard to the USB port.
Turn the computer on.

Safety instructions:

Never open or repair this device yourself.
Do not use the device in a humid environment.
Do not spill anything on the keys.

Technical Data:

Cable length: 1.8 m
Operating temperature: 0 to 50°C



- Large, comfortable keys
- Separate colors for: vowels, consonants, numbers, punctuation
- The keys matched by colors with additional characters: the same color of E.G character € and right-alt key

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK0200US	5907595410182



KIDS



omega

BEST
FOR
GAMING
& NIGHT
WORK


omega

ILLUMINATED GAMING KEYBOARD

White Illuminated Letters
Adjustable Highlighting Intensity
Night Lighting Effects
Low-profiled Keys



DARK GLOW
OK327



Multimedia illuminated computer keyboard with 14 special function keys. Membrane tactile key switches guarantee comfortable usage.

Multimedia keys:

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE. In order for the Sleep/Wake Up to work correctly, the BIOS must support Advanced Power Management ACPI.

System requirements:

DOS5.0/WIN95/98/NT/ME/2000/XP/VISTA/W7/linux/Unix or compatible.

Installation:

Turn the computer off.
Connect the keyboard to the USB port.
Turn the computer on.

Safety instructions:

Never open or repair this device yourself.
Do not use the device in a humid environment.
Do not spill anything on the keys.

Technical Data:

Cable length: 1.8 m
Operating temperature: 0 to 50°C

Easy Night-Typing

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK327BW	5907595408387
COK327B	5907595408448
SOK327B	5907595408455



dark glow
Enjoy Unlimited Nighttime Gaming


ILLUMINATED GAMING KEYBOARD

Comfortable Typing At Night
Anti-slip Base For The Best Stability
USB Connection



VK-1

OK326



VK-1 - Illuminated computer keyboard Membrane tactile key switches guarantee comfortable usage.

System requirements:

DOS5.0/WIN95/98/NT/ME/2000/XP/VISTA/W7/W8/linux/Unix or compatible

Installation:

Turn the computer off.
Connect the keyboard to the USB port.
Turn the computer on.

Safety instructions:

Never open or repair this device yourself.
Do not use the device in a humid environment.
Do not spill anything on the keys.

Technical Data:

Cable length: 1.5 m
Operating temperature: 0 to 50°C



Different colors of highlighting provides



Full copper cable




Ergonomic design for better usability



Anti-slide keyboard surface for confident typing



Special gaming buttons are marked by different patterns



Anti-slip base for the best stability

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK326	5907595416764



Customize the lights
Your keyboard illuminated in Blue & Green



SLIM MULTIMEDIA KEYBOARD

Modern Design
Piano White or Black Case
Super Slim
Square Keys



CYGNUS
OK235

Multimedia computer keyboard with 13 special function keys. Ultra slim - only 11.8 mm height. Membrane tactile key switches guarantee comfortable usage. Ultra slim design.

Multimedia keys:

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE.

System requirements:

Compatible with Microsoft Windows XP/VISTA/Window's 7.

Installation:

Plug and play, no need to turn off the computer.

Safety instructions:

Never open or repair this device yourself.
Do not use the device in a humid environment.
Do not spill anything on the keys.

Technical Data:

Cable length: 1.8 m.
Operating temperature: 0 to 50°C.



Easy And Silent Typing Convenient
Keyboard Layout

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK235B	5907595409551
OK235BHU	5907595414517
OK235W	5907595409568




ILLUMINATED MULTIMEDIA KEYBOARD

Comfortable Typing And Gaming At Night
Low Positioned Keys
Very Comfortable Wrist Rest
Soft Rubber-Coated Keys



ANDROMEDA 2
OK328



Multimedia illuminated computer keyboard with:

- 6 special function keys and FN multimedia function, provides easy access to all frequently used multimedia functions.
- Rubber-coated keys guarantee soft and comfortable typing.
- Illuminated keys enhance the comfort of usage at night.
- Convenient wrist rest ensures proper hand position while typing.
- Membrane tactile key switches guarantee comfortable usage.

Multimedia keys:

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE.

System requirements:

DOS5.0/WIN95/98/NT/ME/2000/VISTA/XP/7/linux/Unix or compatible

Installation:

Turn the computer off.
Connect the keyboard to the USB port.
Turn the computer on.

Safety instructions:

Never open or repair this device yourself.
Do not use the device in a humid environment.
Do not spill anything on the keys.

Technical Data:

Cable length: 1.8 m
Operating temperature: 0 to 50°C


6 Special Keys
– Full Control Over Multimedia

Omega

LANGUAGES VERSIONS



blue light letters
illuminated



ILLUMINATED MULTIMEDIA KEYBOARD

Comfortable Typing At Night
Low Positioned Keys



HYDRA
OK329



Multimedia computer keyboard with 9 special function keys. Membrane tactile key switches guarantee comfortable usage.

Multimedia keys

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE. In order for the Sleep/Wake Up to work correctly, the BIOS must support Advanced Power Management ACPI.

System requirements

DOS5.0/WIN95/98/NT/ME/2000/VISTA/XP/7/8/linux/Unix or compatible.

Installation

Turn the computer off.
Connect the keyboard to the USB port.
Turn the computer on.

Safety instructions

Never open or repair this device yourself.
Do not use the device in a humid environment.
Do not spill anything on the keys.

Technical Data

Cable length: 1.8 m
Operating temperature: 0 to 50°C

9 Special Keys
– Full Control Over Multimedia

Omega


LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK329	5907595414548



blue light letters
illuminated



ILLUMINATED MULTIMEDIA KEYBOARD

Comfortable Typing At Night
Low Positioned Keys



CANES

OK330



Multimedia computer keyboard with 16 special function keys. Membrane tactile key switches guarantee comfortable usage.

16 Multimedia keys:

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE. In order for the Sleep/Wake Up to work correctly, the BIOS must support Advanced Power Management ACPI.

System requirements:

DOS5.0/WIN95/98/NT/ME/2000/VISTA/XP/7/8/linux/Unix or compatible

Installation:

Turn the computer off.
Connect the keyboard to the USB port.
Turn the computer on.

Safety instructions:

Never open or repair this device yourself.
Do not use the device in a humid environment.
Do not spill anything on the keys.

Technical Data:

Cable length: 1.8 m
Operating temperature: 0 to 50°C

16 Special Keys
– Full Control Over Multimedia

Omega

LANGUAGES VERSIONS



white light letters
illuminated



BEST FOR HOME & OFFICE



COMPUTER KEYBOARD

PS2 or USB Connection
Office Line



CENTAURI
OK06



Keys with built-in membranes providing comfort. Spill-resistant design - thanks to the extra channels - draining the liquid from inside the keyboard. Convenient and ergonomic keyboard slightly inclined profile. Compact size - saving space on your desk.

SYSTEM REQUIREMENTS

DOS5.0/WIN95/98/NT/ME/2000/XP/7/8/Linux/Unix or compatible.

TECHNICAL DATA

Cable Length: 1.8 m. Product size: 439x125x22 mm.

ENVIRONMENT DATA

Operating Temperature: 0-50° C

Relative humidity: 20-90% non-condensing

INSTALLATION

- turn the computer off,
- connect the keyboard to the PS2 port,
- turn on the PC.

SAFETY INSTRUCTIONS

Never open or repair this device yourself.
Do not use the device in a damp environment.
Do not spill anything on the keys.



Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK06B	5907595409582
OK06BBG	5907595417815
OK06BCY	5907595409575
OK06BCZ	5907595411455
OK06BES	5907595411240
OK06BGR	5907595413640

Model Nr	EAN BarCode
OK06BHU	5907595413633
OK06BIT	5907595413626
OK06BSB	5907595402293
OK06BSK	5907595411264
OK06BUSB	5907595411271
OK06BYUSB	5907595411288



FN MULTIMEDIA KEYBOARD

Easy Access to Multimedia Functions
Space-Saving Compact Design
PS2 or USB Connection
Low Profile



DRACO
OK124



Multimedia computer keyboard. Easy access to multimedia applications and most frequently used programs by combination of FN & Function Keys [F1-F12].

MULTIMEDIA KEYS:

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE.

SYSTEM REQUIREMENTS:

DOS5.0/WIN98/ME/2000/XP/VISTA/7/8/Linux/Unix or compatible.

One free USB 2.0/1.1 port available.

INSTALLATION:

Connect the keyboard to the USB or PS2 port.

SAFETY INSTRUCTIONS:

Never open or repair this device yourself.
Do not use the device in a humid environment.
Do not spill anything on the keys. Use only soft dry tissue for cleaning.

TECHNICAL DATA:

Cable length: 1.8 m

Operating temperature: 0 to 50°C

Easy And Silent Typing Convenient
Keyboard Layout



Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK124B	5907595404556
COK124B	5907595408288
FOK124B	5907595408295
GOK124B	5907595408301
ROK124B	5907595408318

Model Nr	EAN BarCode
SLOK124B	5907595408325
SOK124B	5907595408332
OK124U	5907595411080
GOK124U	5907595411103
OK124HU	5907595414524



MULTIMEDIA KEYBOARD

USB Connection
Office Line



AURIGA
OK125



Keys with built-in membranes providing comfort. Spill-resistant design - thanks to the extra channels - draining the liquid from inside the keyboard. Convenient and ergonomic keyboard slightly inclined profile. Compact size - saving space on your desk.

System requirements

DOS 5.0/WIN95/98/NT/ME/2000/XP/7/8/Linux/Unix or compatible.

Technical Data

Cable Length: 1.3 m
Product size: 445x145x20 mm

Environment Data

Operating Temperature: 0-50° C
Relative humidity: 20-90% non-condensing

Installation

- turn the computer off,
- connect the keyboard to the USB port,
- turn on the PC.


Safety instructions

Never open or repair this device yourself.
Do not use the device in a damp environment.
Do not spill anything on the keys.
Use a dry cloth for cleaning.

Easy And Silent Typing Convenient
Keyboard Layout

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK125	5907595421355
OK125CZ	5907595421362
OK125ES	5907595421379
OK125FR	5907595421386

Model Nr	EAN BarCode
OK125GR	5907595421393
OK125SK	5907595421409
OK125YHU	5907595421416
OK125YU	5907595421423



FN MULTIMEDIA KEYBOARD

Easy Access to Multimedia Functions
Special Function Keys: Sleep, Wake-up, Power
USB Connection
Office Line



CETUS
OK014



USB Multimedia computer keyboard. Easy access to multimedia applications and most frequently used programs by combination of FN & Function Keys [F1-F12].

Multimedia keys:

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE.

System requirements

DOS5.0/WIN98/ME/2000/XP/Vista/7/Linux/Unix or compatible.

Technical Data

Cable Length: 1.8 m. Product size: 446x160x22 mm.

Environment Data

Operating Temperature: 0° to 50°C.
Relative humidity: 20% to 90% non-condensing.

Installation

Connect the keyboard to the USB port.

Safety instructions

Never open or repair this device yourself.
Do not use the device in a damp environment.
Do not spill anything on the keys.
Use only soft dry tissue for cleaning.


Multimedia keys

The Multimedia keys work in Windows Media Player. The Multimedia keys are not supported in Windows 95, 98SE. In order for the keys Power, Sleep, Wake-Up to work correctly, the BIOS must support Advanced Power Management ACPI.

Easy And Silent Typing Convenient
Keyboard Layout

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OK014	5907595411097



WIRELESS SET KEYBOARD + MOUSE

13 Multimedia Keyboard Keys
Nano Receiver
10m Range



LYNX II
OKM070

Computer Keyboard

Wireless set keyboard + mouse
2.4GHz FSK Autolink technology:

- 10m range
- Nano receiver
- 13 multimedia keys
- Battery included: 1xAAA for mouse and 2 x AAA for keyboard.

Connect nano receiver to USB port of your computer.

System Requirements

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/Linux/Unix or compatible. 1.1, 2.0 USB free port.

2.4GHz Wireless Optical Mouse

The combination of high quality Optical Sensor sending 1200 signals per second to the Digital Signal Processor (DSP), eliminates the erratic movements of cursor and requires high precision.

No Cleaning Required

With no moving parts it is almost impossible for the tracking mechanism to wear out.

Easy Navigation

The scrolling wheel allows you easily to navigate documents, spreadsheets and even the World Wide Web.


System Requirements

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/Linux/Unix or compatible.


Easy And Silent Typing Convenient
Keyboard Layout

Omega

LANGUAGES VERSIONS




Model Nr	EAN BarCode
OKM070	5907595421294
OKM070ES	5907595421300



WIRELESS SET KEYBOARD + MOUSE

12 Extra Multimedia Buttons
Elegant Optical Mouse 800DPI
Square Keys



LYNX

OKM027

Multimedia computer keyboard with 12 special function keys.

Membrane tactile key switches guarantee comfortable usage. Ultra slim and space-saving design.

Multimedia keys:

The Multimedia keys work with Windows Media Player and are not supported in Windows 95, 98SE.

System requirements:

Compatible with Microsoft Windows XP/VISTA/Window's 7

Technical Data:

Cable length: 1.8 m

Operating temperature: 0 to 50°C

2.4GHz Wireless Optical Mouse

No erratic cursor movement: The Optical Sensor sends 800 signals per second to the Digital Signal Processor, eliminating the erratic movements of cursor.


System requirements: DOS5.0/WIN95/98/NT/ME/2000/XP/Vista/Unix/Linux or compatible.




Easy And Silent Typing Convenient
Keyboard Layout

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OKM027	5907595412568



WIRELESS SET KEYBOARD + MOUSE

Mouse resolution: 1000dpi
Nano Receiver
10m Range



PYXIS
OKM069

Computer Keyboard

2.4GHz FSK Autolink technology:

- 10m range
- Nano receiver
- Battery not included: 2xAAA for mouse and 1xAAA for keyboard. Connect nano receiver to USB port of your computer.

System Requirements

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/Linux/Unix or compatible. 1.1, 2.0 USB free port.

2.4GHz Wireless Optical Mouse

The combination of high quality Optical Sensor sending 1000 signals per second to the Digital Signal Processor (DSP), eliminates the erratic movements of cursor and requires high precision.

No Cleaning Required

With no moving parts it is almost impossible for the tracking mechanism to wear out.

Easy Navigation

The scrolling wheel allows you easily to navigate documents, spreadsheets and even the World Wide Web.

System Requirements

DOS 5.0/WIN95/98/NT/ME/2000/XP/Vista/7/8/Linux/Unix or compatible.




Easy And Silent Typing Convenient
Keyboard Layout

Omega

LANGUAGES VERSIONS



Model Nr	EAN BarCode
OKM069	5907595421317
OKM069CZ	5907595421324
OKM069ES	5907595421331
OKM069HU	5907595421348



OK026

MULTIMEDIA KEYBOARD

USB 2.0 FOR PC

- USB Keyboard with 16 Multimedia Keys
- Convenient and silent
- Złącze USB



MULTIMEDIA KEYBOARD USB 2.0 FOR PC

Keys with built-in membranes providing comfort. Spill-resistant design - thanks to the extra channels - draining the liquid from inside the keyboard. Convenient and ergonomic keyboard slightly inclined profile. Compact size - saving space on your desk.

SYSTEM REQUIREMENTS

Windows / 2000 / XP / Vista / 7/8/10 / Linux / Unix
or compatible, free USB port.

TECHNICAL DATA

Cable Length: 1.3 m
Product size: 445x145x20 mm

ENVIRONMENT DATA

Operating Temperature: 0-50°C
Relative humidity: 20-90% non-condensing

INSTALLATION

- turn the computer off,
- connect the keyboard to the USB port,
- turn on the PC.

SAFETY INSTRUCTIONS

- Never open or repair this device yourself.
- Do not use the device in a damp environment.
- Do not spill anything on the keys.
- Use a dry cloth for cleaning.

USB
UNIVERSAL SERIAL BUS



OK026ES



OK026GR



OK026IT



OK026RU-UA



OK026US



OK026YU



OK026CZ

omega



www.platinet.eu



Distributor: PLATINET S.A.
PL 30-798 Krakow, ul. Christo Botewa 48
tel. +48 12 65 10 580
export@platinet.eu